

**FRIEDMAN & BRUYA, INC.**

**ENVIRONMENTAL CHEMISTS**

Date of Report: May 10, 1995

Date Received: May 5, 1995

Project: #7238, Metro 24 Hr. (ACW), PO M41097

Date Samples Extracted: May 8, 1995

**RESULTS FROM THE ANALYSIS OF THE WATER SAMPLE  
FOR CHROMIUM, COPPER, NICKEL AND ZINC  
Samples Processed Using Method 3005  
Results Reported as mg/L (ppm)**

<u>Sample ID</u>	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M41097	2.1	0.73	1.6	0.07
<b><u>Quality Assurance</u></b>				
Blank	<0.05	<0.05	<0.05	<0.05
M41097 (Duplicate)	2.3	0.80	1.7	0.07
M41097 (Matrix Spike) % Recovery	103%	97%	102%	101%
M41097 (Matrix Spike Duplicate) % Recovery	97%	91%	98%	100%
Spike Blank % Recovery	101%	98%	105%	105%
Spike Level	5	5	10	5



BIB AI  
05.05.95  
2:33

**Send Report To:**

SITE NO.	PROJECT NAME	PURCHASE ORDER #
7238	metro 24 hr (ocw)	m 41097

REMARKS		SAMPLE DISPOSAL INFORMATION	
		<input type="checkbox"/>	Dispose after 30 days
		<input checked="" type="checkbox"/>	Return Samples
		<input type="checkbox"/>	Call for Instructions

[illegible]

SIGNATURE	PRINT NAME	COMPANY	Date	Time
Relinquished by: 	GERALD A. Thompson	Alaska Copper	<del>5/5/95</del> 5/5/95	2:20pm
Received by: 	Cathy Riggs	FBI	5.5.95	2:21p
Relinquished by:				
Received by:				

**FRIEDMAN & BRUYA, INC.**

**ENVIRONMENTAL CHEMISTS**

Andrew John Friedman  
James E. Bruya, Ph.D.  
(206) 285-8282

3012 16th Avenue West  
Seattle, WA 98119-2029  
FAX: (206) 283-5044

**DUPLICATE COPY**

**May 10, 1995**

**INVOICE # 95ACU0510-1**

Alaskan Copper Works  
628 South Hanford  
Seattle, WA 98134

RE: Project #7238, Metro 24 Hr. (ACW), PO M41097: Results of testing requested  
by Gerald Thompson, Project Leader for material submitted on May 5, 1995.

1 water sample analyzed for Chromium, Copper,  
Nickel and Zinc @ \$65 per sample

\$ 65.00

Amount Due .....

**\$ 65.00**

**FRIEDMAN & BRUYA, INC.**

**ENVIRONMENTAL CHEMISTS**

Andrew John Friedman  
James E. Bruya, Ph.D.  
(206) 285-8282

3012 16th Avenue West  
Seattle, WA 98119-2029  
FAX: (206) 283-5044

May 10, 1995

Gerald Thompson, Project Leader  
Alaskan Copper Works  
628 South Hanford  
Seattle, WA 98134


Dear Mr. Thompson:

Enclosed are the results from the testing of material submitted on May 5, 1995 from your project #7238, Metro 24 Hr. (ACW), PO M41097.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



Bradley T. Benson  
Chemist

jdp  
Enclosures

ACU0510R

AKC-0012831